

# Certificate of constancy of performance

No. 0672-CPR-0630

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the

Construction Product(s)

**Guide Bearings and Restraint Bearings** 

with trade name

mageba Guide Bearings and mageba Restraint Bearings

placed on the market under the name or trade mark of

mageba sa Solistrasse 68,

CH-8180 Bülach, Schweiz

produced in the manufacturing plant(s)

mageba Turkey

Marmara Geri Dönüşümcüler Sanayi Sitesi

Şekerpınar Mah. Ayçiçeği Sk. No: 48 Çayırova / Kocaeli, Turkey

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in

Annex ZA

of the standard(s)

EN 1337-8:2007

under system

1

for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

#### constancy of performance of the construction product.

This certificate was first issued on 2018-07-20 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

This document has been translated for informative purpose only. Original version is issued in German. In any case of doubt the German version is valid.



Dipl.-Ing. Siegfried Gerber Head of Certification Body



## Annex 1

to the certificate of constancy of performance No. 0672-CPR-0630

Main performances for the construction product

# **Guide Bearings and Restraint Bearings**

with trade name

# mageba Guide Bearings and mageba Restraint Bearings

types 8.1 and 8.2 in accordance with EN 1337-1, as guide bearing with sliding elements according to EN 1337-2 for effective bearing temperatures of -35 °C to +48 °C, for use in building and civil engineering works where requirements on individual bearings are critical.

This Annex is only valid together with the certificate of constancy of performance according EU-BauPVO 0672 – CPR – 630.



## Annex 2

to the certificate of constancy of performance No. 0672-CPR-0630

Main performances for the construction product

## **Guide Bearings and Restraint Bearings**

with trade name

## mageba Guide Bearings and mageba Restraint Bearings

types 8.1 and 8.2 (EN 1337-1), as guide bearing with sliding elements (EN 1337-2), for effective bearing temperatures of -35 °C to +48 °C, optionally in combination with steel laminated elastomeric bearings according EN 1337-3, types 1.2, 1.3, 1.6, 1.7 and 1.8 (EN 1337-1) with NR-Compound H880006E, NR EN 60 16 425, LPGLT 009N, LPGLT 115N, 2526 or CR- Compound H990002, CR EN 60 16 425, LPGLT 009C, 4526 for use in building and civil engineering works where requirements on individual bearings are critical.

This Annex is only valid together with the certificate of constancy of performance 0672 - CPR - 0630.

