

Certificate of constancy of performance

No. 0672-CPR-0668

In compliance with *Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the

Construction Product(s) **Elastomeric Bearings**
with trade name
mageba Elastomeric Bearings type LASTO®

placed on the market
under the name or trade
mark of **mageba sa**
Solistraße 68
CH-8180 Bülach
Switzerland

produced in the
manufacturing plant(s) **mageba Bridge Products Pvt. Ltd.**
45, Jhowtala Road, 3rd floor,
Kolkata 700019, India

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in

Annex ZA
of the standard(s) **EN 1337-3:2005**

under system **1**

for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on **2016-10-28** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

This document has been translated for informative purpose only. Original version is issued in German. In any case of doubt the German version is valid.



A handwritten signature in blue ink, appearing to read 'S. Gerber'.

Dipl.-Ing. Siegfried Gerber
Head of Certification Body



Annex 1

to the certificate of constancy of performance No. 0672-CPR-0668

Main performances for the construction product

Elastomeric Bearing

with trade name

mageba Elastomeric Bearings type LASTO®

steel laminated elastomeric bearing with CR compound CR EN 60 16 425 or NR compound NR EN 60 16 425, optionally NR bearing with CR cover, types A, B and C (EN 1337-3), without horizontal sliding part, types 1.1, 1.2 and 1.6 (EN 1337-1), for effective bearing temperatures of -25 °C to +50 °C, for use in building and civil engineering works where requirements on individual bearings are critical.

This Annex is only valid together with the certificate of constancy of performance 0672 - CPR - 0668

Stuttgart, 2016-10-28



Annex 2

to the certificate of constancy of performance No. 0672-CPR-0668

Main performances for the construction product

Elastomeric Bearing

with trade name

**mageba Elastomeric Bearings type LASTO®
with PTFE sheet bonded to the elastomer**

steel laminated elastomeric bearing with CR compound CR EN 60 16 425 or NR compound NR EN 60 16 425 with horizontal multidirectional movable sliding part in the form of a PTFE sliding sheet bonded to the elastomer, type D in accordance with EN 1337-3, for use in structural bearings type 1.4 in accordance with EN 1337-1, only to be used to accommodate irreversible movements, for operation temperature from -35 °C to +48 °C, for use in building and civil engineering works where requirements on individual bearings are critical

This Annex is only valid together with the certificate of constancy of performance 0672 - CPR - 0668

Stuttgart, 2018-04-19

