

Certificate of constancy of performance

No. 0672-CPR-0802

In compliance with *Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the

Construction Product(s) **Fluid Viscous Damper (FVD)**
with trade name
mageba RESTON® SA

placed on the market
under the name or trade
mark of **mageba sa**
Solistraße 68
CH-8180 Bülach
SWITZERLAND

produced in the
manufacturing plant(s) **mageba Bridge Products Pvt. Ltd.**
45, Jhowtala Road, 3rd Floor
700019 Kolkata, India

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in

Annex ZA
of the standard(s) **EN 15129:2009**

under system **1**

for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on **2018-06-05** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

This document has been translated for informative purpose only. Original version is issued in German. In any case of doubt the German version is valid.



Stuttgart, 2018-06-05

S. Gerber

Dipl.-Ing. Siegfried Gerber
Head of Certification Body



Annex 1

to the certificate of constancy of performance No. 0672-CPR-0802

Main performances for the construction product

Fluid Viscous Damper (FVD)

with trade name

mageba RESTON®SA 500-200

according to EN 15129:2009, for use in building and civil engineering works where requirements on individual devices are critical.

Reaction force	400 to 600	kN
Maximum velocity	240	mm/s
Exponent α of the constitutive law	0.21	
Operating temperature	-25 to +50	°C
Construction and materials as type RESTON®SA 500-200		

This Annex is only valid together with the certificate of constancy of performance according EU-BauPVO 0672 – CPR – 0802

Stuttgart, 2018-06-05

